

Certificate of Analysis

Produced: Nov 19, 2025

Sample: Psilly Goose Silly 12oz (Edible Liquid) • Client: Blaze Life • Batch: Pass



Batch No.: SL111125
Matrix: Edible Liquid
Sample ID: ICC-251117-34-004
Collected on: Nov 17, 2025
Received on: Nov 17, 2025
Batch Size:
Sample Size:
Package Size: 359.80 g

Batch Result: Pass

Alkaloids	Tested
Metals	Pass
Microbial	Pass

infiniteCAL

Kanna by UHPLC-DAD • Nov 19, 2025

Analyte	Amt (mg/pkg)	Amt (%)	LOD/LOQ (mg/g)	Analyte	Amt (mg/pkg)	Amt (%)	LOD/LOQ (mg/g)
Mesembrine		ND	0.00438/0.0131	(±)-Δ7-Mesembrenone		ND	0.00548/0.0164
Mesembrenone		ND	0.00529/0.0159				

Compliance requirements for this test are taken from No Compliance regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Nov 18, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Nov 18, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.



DM

Petrifilm-E. Coli • Nov 18, 2025

Analyte	Limit	Amt	Pass/Fail
Escherichia coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm- Staphylococcus aureus • Nov 18, 2025

Analyte	Limit	Amt	Pass/Fail
Staphylococcus aureus		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Salmonella • Nov 19, 2025

Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Nov 19, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Nov 19, 2025

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

