

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Blue Razz - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: BRST481  
Matrix: Edible Solid  
Sample ID: ICC-260707-14-006  
Collected on: Jul 07, 2026  
Received on: Jul 07, 2026  
Batch Size:  
Sample Size:

Batch Result: Pass

|            |      |
|------------|------|
| Solvents   | Pass |
| Metals     | Pass |
| Microbial  | Pass |
| Mycotoxins | Pass |
| Pesticides | Pass |

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.0650/0.195   | Pass      | Hexane             | 290          | ND         | 3.26/9.79      | Pass      |
| Acetone            | 5000         | ND         | 24.0/72.0      | Pass      | Isopropyl alcohol  | 5000         | ND         | 27.7/83.0      | Pass      |
| Acetonitrile       | 410          | ND         | 4.03/12.1      | Pass      | Methanol           | 3000         | ND         | 22.6/67.8      | Pass      |
| Benzene            | 1            | ND         | 0.0192/0.0576  | Pass      | Methylene chloride | 1            | ND         | 5.09/15.3      | Pass      |
| Butane             | 5000         | ND         | 24.9/74.7      | Pass      | Pentane            | 5000         | ND         | 23.3/69.8      | Pass      |
| Chloroform         | 1            | ND         | 0.662/1.98     | Pass      | Propane            | 5000         | ND         | 18.1/54.2      | Pass      |
| Ethanol            | 5000         | ND         | 20.7/62.0      | Pass      | Toluene            | 890          | ND         | 9.69/29.1      | Pass      |
| Ethyl acetate      | 5000         | ND         | 25.3/75.9      | Pass      | Trichloroethylene  | 1            | ND         | 0.605/1.82     | Pass      |
| Ethylene oxide     | 1            | ND         | 1.20/3.60      | Pass      | o-Xylene           | ND           | ND         | 12.1/36.4      | N/A       |
| Ethyl ether        | 5000         | ND         | 29.6/88.8      | Pass      | p- and m-Xylene    | ND           | ND         | 12.5/37.5      | N/A       |
| Heptane            | 5000         | ND         | 27.3/82.0      | Pass      | Total xylenes      | 2170         | ND         |                | Pass      |

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | < LOQ      | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | 0.00500/0.0140  | Pass      |



*Signature*

*Signature*

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jul 09, 2026

| Analyte         | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Salmonella spp. | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 1.06/3.18       | N/A       | Aflatoxin G2 |               | ND          | 0.718/2.45      | N/A       |
| Aflatoxin B2 |               | ND          | 0.918/2.75      | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 2.32/6.96       | N/A       | Ochratoxin A | 20            | ND          | 3.87/11.7       | Pass      |

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 5            | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.0156/0.0474  | Pass      |
| Acephate            | 5            | ND         | 0.0164/0.0497  | Pass      | Imidacloprid      | 3            | ND         | 0.0235/0.0711  | Pass      |
| Acequinocyl         | 4            | ND         | 0.0194/0.0587  | Pass      | Kresoxim-methyl   | 1            | ND         | 0.0125/0.0379  | Pass      |
| Acetamiprid         | 5            | ND         | 0.0146/0.0442  | Pass      | Malathion         | 5            | ND         | 0.0117/0.0354  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0216/0.0654  | Pass      | Metalaxyl         | 15           | ND         | 0.0101/0.0306  | Pass      |
| Azoxystrobin        | 40           | ND         | 0.00960/0.0291 | Pass      | Methiocarb        | Any amt      | ND         | 0.0156/0.0473  | Pass      |
| Bifenazate          | 5            | ND         | 0.0115/0.0349  | Pass      | Methomyl          | 0.1          | ND         | 0.0158/0.0479  | Pass      |
| Bifenthrin          | 0.5          | ND         | 0.0130/0.0395  | Pass      | Mevinphos         | Any amt      | ND         | 0.0139/0.0423  | Pass      |
| Boscalid            | 10           | ND         | 0.0197/0.0596  | Pass      | Myclobutanil      | 9            | ND         | 0.0180/0.0546  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.0160/0.0486  | Pass      | Naled             | 0.5          | ND         | 0.0170/0.0514  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00902/0.0300 | Pass      | Oxamyl            | 0.2          | ND         | 0.0153/0.0465  | Pass      |
| Chlorantraniliprole | 40           | ND         | 0.0209/0.0632  | Pass      | Paclobutrazol     | Any amt      | ND         | 0.0132/0.0400  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0176/0.0534  | Pass      | Permethrin        | 20           | ND         | 0.00831/0.0300 | Pass      |
| Clofentezine        | 0.5          | ND         | 0.0129/0.0389  | Pass      | Phosmet           | 0.2          | ND         | 0.0125/0.0377  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0185/0.0559  | Pass      | Piperonylbutoxide | 8            | ND         | 0.00759/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0261/0.0791  | Pass      | Prallethrin       | 0.4          | ND         | 0.0226/0.0685  | Pass      |
| Diazinon            | 0.2          | ND         | 0.00645/0.0300 | Pass      | Propiconazole     | 20           | ND         | 0.0195/0.0590  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0223/0.0674  | Pass      | Propoxur          | Any amt      | ND         | 0.0155/0.0471  | Pass      |
| Dimethoate          | Any amt      | ND         | 0.0118/0.0356  | Pass      | Pyrethrins        | 1            | ND         | 0.00431/0.0300 | Pass      |
| Dimethomorph        | 20           | ND         | 0.0137/0.0416  | Pass      | Pyridaben         | 3            | ND         | 0.0115/0.0350  | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.0174/0.0528  | Pass      | Spinetoram        | 3            | ND         | 0.00639/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00849/0.0300 | Pass      | Spinosad          | 3            | ND         | 0.00410/0.0300 | Pass      |
| Etoxazole           | 1.5          | ND         | 0.00783/0.0300 | Pass      | Spiromesifen      | 12           | ND         | 0.0137/0.0416  | Pass      |
| Fenhexamid          | 10           | ND         | 0.0129/0.0392  | Pass      | Spirotetramat     | 13           | ND         | 0.0134/0.0407  | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.0144/0.0435  | Pass      | Spiroxamine       | Any amt      | ND         | 0.0106/0.0320  | Pass      |
| Fenpyroximate       | 2            | ND         | 0.00972/0.0300 | Pass      | Tebuconazole      | 2            | ND         | 0.0144/0.0437  | Pass      |
| Fipronil            | Any amt      | ND         | 0.0148/0.0447  | Pass      | Thiacloprid       | Any amt      | ND         | 0.0139/0.0421  | Pass      |
| Flonicamid          | 2            | ND         | 0.0268/0.0811  | Pass      | Thiamethoxam      | 4.5          | ND         | 0.0181/0.0549  | Pass      |
| Fludioxonil         | 30           | ND         | 0.0153/0.0464  | Pass      | Trifloxystrobin   | 30           | ND         | 0.0102/0.0310  | Pass      |
| Hexythiazox         | 2            | ND         | 0.0257/0.0778  | Pass      |                   |              |            |                |           |



*Signature*

*Signature*