

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

Lab ID: 2606131-01

The Creative Department LLC

METRC Batch ID:

Date Sampled: 06/11/26

Date Printed: 06/16/26

Report cannot be used for OLCC/OHA compliance.

Pesticide Analysis in PPM

Date/Time Extracted: 06/12/26 15:44

Date/Time Analyzed: 06/15/26 18:49

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26F122

Analyte	Result	Action Level	LOQ	Notes	Type
Abamectin	< LOQ	0.5	0.2500		Avermectin insecticide
Acephate	< LOQ	0.4	0.2000		Organophosphate Insecticide
Acequinocyl	< LOQ	2	1.000		Quinoline insecticide
Acetamiprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Aldicarb	< LOQ	0.4	0.2000		Carbamate insecticide
Azoxystrobin	< LOQ	0.2	0.1000		Strobil fungicide
Bifenazate	< LOQ	0.2	0.1000		Carbazate miticide
Bifenthrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Boscalid	< LOQ	0.4	0.2000		Carboxamide fungicide
Carbaryl	< LOQ	0.2	0.1000		Carbamate insecticide
Carbofuran	< LOQ	0.2	0.1000		Carbamate insecticide
Chlorantraniliprole	< LOQ	0.2	0.1000		Anthranilic diamide insecticide
Chlorfenapyr	< LOQ	1	0.5000		Pyrrole insecticide
Chlorpyrifos	< LOQ	0.2	0.1000		Organophosphate Insecticide
Clofentezine	< LOQ	0.2	0.1000		Tetrazine miticide
Cyfluthrin	< LOQ	1	0.5000		Pyrethroid insecticide
Cypermethrin	< LOQ	1	0.5000		Pyrethroid insecticide
Daminozide	< LOQ	1	0.5000		Plant growth regulator
DDVP (Dichlorvos)	< LOQ	1	0.5000		Organophosphate insecticide
Diazinon	< LOQ	0.2	0.1000		Organophosphate Insecticide
Dimethoate	< LOQ	0.2	0.1000		Organophosphate insecticide
Ethoprophos	< LOQ	0.2	0.1000		Organophosphate insecticide
Etofenprox	< LOQ	0.4	0.2000		Pyrethroid insecticide
Etoxazole	< LOQ	0.2	0.1000		Oxazoline insecticide
Fenoxycarb	< LOQ	0.2	0.1000		Carbamate insecticide
Fenpyroximate	< LOQ	0.4	0.2000		Pyrazolium miticide
Fipronil	< LOQ	0.4	0.2000		Pyrazole insecticide
Flonicamid	< LOQ	1	0.5000		Pyridinecarboxamide insecticide

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Pesticide Analysis in PPM

Date/Time Extracted: 06/12/26 15:44

Date/Time Analyzed: 06/15/26 18:49

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26F122

Analyte	Result	Action Level	LOQ	Notes	Type
Fludioxonil	< LOQ	0.4	0.2000		Benzodioxole fungicide
Hexythiazox	< LOQ	1	0.5000		Heterocyclic miticide
Imazalil	< LOQ	0.2	0.1000		Imidazole fungicide
Imidacloprid	< LOQ	0.4	0.2000		Neonicotinoid insecticide
Kresoxim-methyl	< LOQ	0.4	0.2000		Strobilurin fungicide
Malathion	< LOQ	0.2	0.1000		Organophosphate insecticide
Metalaxyl	< LOQ	0.2	0.1000		Benzenoid fungicide
Methiocarb	< LOQ	0.2	0.1000		Carbamate insecticide
Methomyl	< LOQ	0.4	0.2000		Carbamate insecticide
Methyl parathion	< LOQ	0.2	0.1000		Organophosphate insecticide
MGK-264	< LOQ	0.2	0.1000		Pesticide synergist
Myclobutanil	< LOQ	0.2	0.1000		Triazole fungicide
Naled	< LOQ	0.5	0.2500		Organophosphate insecticide
Oxamyl	< LOQ	1	0.5000		Carbamate insecticide
Paclobutrazol	< LOQ	0.4	0.2000		Triazole fungicide
Permethrins	< LOQ	0.2	0.1000		Pyrethroid insecticide
Phosmet	< LOQ	0.2	0.1000		Organophosphate insecticide
Piperonyl butoxide	< LOQ	2	1.000		Pesticide synergist
Prallethrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Propiconazole	< LOQ	0.4	0.2000		Triazole fungicide
Propoxur	< LOQ	0.2	0.1000		Carbamate insecticide
Pyrethrins	< LOQ	1	0.5000		Pyrethroid insecticide
Pyridaben	< LOQ	0.2	0.1000		Pyridazinone insecticide
Spinosad	< LOQ	0.2	0.1000		Spinosyn insecticide
Spiromesifen	< LOQ	0.2	0.1000		Keto-enol insecticide
Spirotetramat	< LOQ	0.2	0.1000		Keto-enol insecticide
Spiroxamine	< LOQ	0.4	0.2000		Spiroketalamine fungicide
Tebuconazole	< LOQ	0.4	0.2000		Triazole fungicide
Thiacloprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Thiamethoxam	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Trifloxystrobin	< LOQ	0.2	0.1000		Strobin fungicide

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Mycotoxins Analysis in PPM

Date/Time Extracted: 06/12/26 15:44

Date/Time Analyzed: 06/15/26 18:49

Analysis Method/SOP: Mycotoxins

Instrument: Athena

Batch Identification: B26F122

Analyte	Result	Action Level	LOQ
Aflatoxin B1	< LOQ	NA	0.00250
Aflatoxin B2	< LOQ	NA	0.00250
Aflatoxin G1	< LOQ	NA	0.00250
Aflatoxin G2	< LOQ	NA	0.00250
Ochratoxin A	< LOQ	0.02	0.0100
Total Aflatoxins	< LOQ	0.02	0.00250

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

Chris Griffey
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Residual Solvents Analysis in PPM

Date/Time Extracted: 06/12/26 11:18

Date/Time Analyzed: 06/13/26 01:54

Analysis Method/SOP: RS

Instrument: Enrique

Batch Identification: B26F116

Solvent	Results in ppm	LOQ	Action Level	RPD (%)	Notes
Acetone	< LOQ	2500	5000		
Acetonitrile	< LOQ	205.0	400		
Benzene	< LOQ	1.000	2		
2-Butanol	< LOQ	2500	5000		
Cumene	< LOQ	35.00	70		
Cyclohexane	< LOQ	1940	3880		
Dichloromethane	< LOQ	300.0	600		
1,4-Dioxane	< LOQ	190.0	380		
2-Ethoxyethanol	< LOQ	80.00	160		
Ethyl acetate	< LOQ	2500	5000		
Ethylene glycol	< LOQ	310.0	620		
Ethylene oxide	< LOQ	25.00	50		
Ethyl ether	< LOQ	2500	5000		
Heptane	< LOQ	2500	5000		
Isopropyl acetate	< LOQ	2500	5000		
Methanol	< LOQ	1500	3000		
Propane	< LOQ	2500	5000		
2-Propanol (IPA)	< LOQ	2500	5000		
Tetrahydrofuran	< LOQ	360.0	720		
Toluene	< LOQ	445.0	890		
Butanes	< LOQ	2500	5000		
Hexanes	< LOQ	145.0	290		
Pentanes	< LOQ	2500	5000		
Xylenes	< LOQ	1085	2170		

Results above the Action Level, or otherwise fail state testing requirements will be highlighted Red.

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Heavy Metals Analysis in PPM

Date/Time Extracted: 06/12/26 12:02

Date/Time Analyzed: 06/15/26 11:16

Analysis Method/SOP: Microwave Digestion

Instrument: Lothar

Batch Identification: B26F102

Analyte	Result	Action Level	LOQ	Notes
Arsenic	< LOQ	0.2	0.100	
Cadmium	< LOQ	0.2	0.100	
Lead	< LOQ	0.5	0.250	
Mercury	< LOQ	0.1	0.0500	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

Chris Griffey
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Microbial Contaminants Analysis via PCR (Det/ND)

Date/Time Extracted: 06/12/26 16:22

Date/Time Analyzed: 06/13/26 14:35

Analysis Method/SOP: PCR Testing

Instrument: Real Time PCR

Batch Identification: B26F124

Analyte	Result	LOQ	Notes	Comments
Total Yeast/Mold	0			No detection in 1 gram

Detections fail state testing requirements and will be highlighted **Red**.

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Microbial Contaminants Analysis via PCR (Det/ND)

Date/Time Extracted: 06/12/26 17:20

Date/Time Analyzed: 06/13/26 14:32

Analysis Method/SOP: Cannabis PCR Testing

Instrument: Real Time PCR

Batch Identification: B26F123

Analyte	Result	LOQ	Notes	Comments
Salmonella	Non-Detect	1 cfu/g		No detection in 1 gram
STEC	Non-Detect	1 cfu/g		No detection in 1 gram

Detections fail state testing requirements and will be highlighted **Red**.

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control Pesticide Analysis

Batch: B26F122 - Pest/Myco

Blank(B26F122-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.2500	ppm		06/12/26 15:44	06/15/26 18:01	
Acephate	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Acequinocyl	< LOQ	1.000	ppm		06/12/26 15:44	06/15/26 18:01	
Acetamiprid	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Aldicarb	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Azoxystrobin	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Bifenazate	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Bifenthrin	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Boscalid	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Carbaryl	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Carbofuran	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Chlorantraniliprole	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Chlorfenapyr	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Chlorpyrifos	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Clofentezine	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Cyfluthrin	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Cypermethrin	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Daminozide	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
DDVP (Dichlorvos)	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Diazinon	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Dimethoate	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Ethoprophos	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Etofenprox	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Etoxazole	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Fenoxycarb	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Fenpyroximate	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Fipronil	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Flonicamid	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Fludioxonil	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Hexythiazox	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Imazalil	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Imidacloprid	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Kresoxim-methyl	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Malathion	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control

Pesticide Analysis (Continued)

Batch: B26F122 - Pest/Myco (Continued)

Blank(B26F122-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Metalaxyl	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Methiocarb	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Methomyl	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Methyl parathion	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
MGK-264	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Myclobutanil	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Naled	< LOQ	0.2500	ppm		06/12/26 15:44	06/15/26 18:01	
Oxamyl	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Paclobutrazol	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Permethrins	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Phosmet	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Piperonyl butoxide	< LOQ	1.000	ppm		06/12/26 15:44	06/15/26 18:01	
Prallethrin	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Propiconazole	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Propoxur	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Pyrethrins	< LOQ	0.5000	ppm		06/12/26 15:44	06/15/26 18:01	
Pyridaben	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Spinosad	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Spiromesifen	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Spirotetramat	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Spiroxamine	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Tebuconazole	< LOQ	0.2000	ppm		06/12/26 15:44	06/15/26 18:01	
Thiacloprid	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Thiamethoxam	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	
Trifloxystrobin	< LOQ	0.1000	ppm		06/12/26 15:44	06/15/26 18:01	

LCS(B26F122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	128	0.2500	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Acephate	100	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Acequinocyl	95.4	1.000	ppm	40-160	06/12/26 15:44	06/15/26 17:45	
Acetamiprid	98.2	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Aldicarb	98.1	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Azoxystrobin	144	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Bifenazate	141	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control

Pesticide Analysis (Continued)

Batch: B26F122 - Pest/Myco (Continued)

LCS(B26F122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Bifenthrin	107	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Boscalid	150	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Carbaryl	98.0	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Carbofuran	97.2	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Chlorantraniliprole	119	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Chlorfenapyr	107	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Chlorpyrifos	106	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Clofentezine	95.7	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Cyfluthrin	123	0.5000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Cypermethrin	117	0.5000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Daminozide	107	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
DDVP (Dichlorvos)	83.7	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Diazinon	96.7	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Dimethoate	99.6	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Ethoprophos	107	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Etofenprox	98.9	0.2000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Etoxazole	109	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Fenoxycarb	103	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Fenpyroximate	104	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Fipronil	113	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Flonicamid	97.1	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Fludioxonil	175	0.2000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	Q3, U
Hexythiazox	94.4	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Imazalil	99.1	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Imidacloprid	96.0	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Kresoxim-methyl	102	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Malathion	154	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Metalaxyl	118	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Methiocarb	152	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Methomyl	96.2	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Methyl parathion	185	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	Q3, U
MGK-264	90.6	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Myclobutanil	155	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Naled	111	0.2500	ppm	50-150	06/12/26 15:44	06/15/26 17:45	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control Pesticide Analysis (Continued)

Batch: B26F122 - Pest/Myco (Continued)

LCS(B26F122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Oxamyl	99.1	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Paclobutrazol	150	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Permethrins	110	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Phosmet	149	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Piperonyl butoxide	107	1.000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Prallethrin	101	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Propiconazole	102	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Propoxur	74.3	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Pyrethrins	103	0.5000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Pyridaben	98.6	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	
Spinosad	186	0.1000	ppm	50-150	06/12/26 15:44	06/15/26 17:45	Q3
Spiromesifen	101	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Spirotetramat	143	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3, U
Spiroxamine	97.1	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Tebuconazole	99.9	0.2000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Thiacloprid	100	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Thiamethoxam	98.1	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Trifloxystrobin	104	0.1000	ppm	60-120	06/12/26 15:44	06/15/26 17:45	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control Mycotoxins

Batch: B26F122 - Pest/Myco

Blank(B26F122-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Aflatoxin G2	< LOQ	0.00250	ppm		06/12/26 15:44	06/15/26 18:01	
Aflatoxin G1	< LOQ	0.00250	ppm		06/12/26 15:44	06/15/26 18:01	
Aflatoxin B2	< LOQ	0.00250	ppm		06/12/26 15:44	06/15/26 18:01	
Aflatoxin B1	< LOQ	0.00250	ppm		06/12/26 15:44	06/15/26 18:01	
Ochratoxin A	< LOQ	0.0100	ppm		06/12/26 15:44	06/15/26 18:01	
Total Aflatoxins	< LOQ	0.00250	ppm		06/12/26 15:44	06/15/26 18:01	

LCS(B26F122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Aflatoxin G2	131	0.00250	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Aflatoxin G1	132	0.00250	ppm	60-120	06/12/26 15:44	06/15/26 17:45	Q3
Aflatoxin B2	94.7	0.00250	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Aflatoxin B1	96.5	0.00250	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Ochratoxin A	103	0.0100	ppm	60-120	06/12/26 15:44	06/15/26 17:45	
Total Aflatoxins	114	0.00250	ppm	60-120	06/12/26 15:44	06/15/26 17:45	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control Heavy Metals

Batch: B26F102 - Microwave Digestion

Blank(B26F102-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	< LOQ	0.100	ppm		06/12/26 12:02	06/15/26 08:51	
Cadmium	< LOQ	0.100	ppm		06/12/26 12:02	06/15/26 08:51	
Lead	< LOQ	0.250	ppm		06/12/26 12:02	06/15/26 08:51	
Mercury	< LOQ	0.0500	ppm		06/12/26 12:02	06/15/26 08:51	

LCS(B26F102-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	110	0.100	ppm	80-115	06/12/26 12:02	06/15/26 09:05	
Cadmium	108	0.100	ppm	80-115	06/12/26 12:02	06/15/26 09:05	
Lead	105	0.250	ppm	80-115	06/12/26 12:02	06/15/26 09:05	
Mercury	89.4	0.0500	ppm	80-115	06/12/26 12:02	06/15/26 09:05	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control PCR Testing

Batch: B26F123 - Cannabis PCR Testing

Blank(B26F123-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
STEC	Non-Detect	1 cfu/g	Det/ND		06/12/26 17:20	06/13/26 14:32	
Salmonella	Non-Detect	1 cfu/g	Det/ND		06/12/26 17:20	06/13/26 14:32	

LCS(B26F123-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
STEC	100	1 cfu/g	Det/ND	100-100	06/12/26 17:20	06/13/26 14:32	
Salmonella	100	1 cfu/g	Det/ND	100-100	06/12/26 17:20	06/13/26 14:32	

Batch: B26F124 - Cannabis PCR Testing

Blank(B26F124-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Total Yeast/Mold	0		cfu/g		06/12/26 16:22	06/13/26 14:35	

LCS(B26F124-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Total Yeast/Mold	100		cfu/g	0-200	06/12/26 16:22	06/13/26 14:35	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control Solvent Analysis

Batch: B26F116 - ResSolv

Blank(B26F116-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Acetonitrile	< LOQ	205.0	ppm		06/12/26 11:18	06/12/26 14:39	
Benzene	< LOQ	1.000	ppm		06/12/26 11:18	06/12/26 14:39	
2-Butanol	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Cumene	< LOQ	35.00	ppm		06/12/26 11:18	06/12/26 14:39	
Cyclohexane	< LOQ	1940	ppm		06/12/26 11:18	06/12/26 14:39	
Dichloromethane	< LOQ	300.0	ppm		06/12/26 11:18	06/12/26 14:39	
1,4-Dioxane	< LOQ	190.0	ppm		06/12/26 11:18	06/12/26 14:39	
2-Ethoxyethanol	< LOQ	80.00	ppm		06/12/26 11:18	06/12/26 14:39	
Ethyl acetate	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Ethylene glycol	< LOQ	310.0	ppm		06/12/26 11:18	06/12/26 14:39	
Ethylene oxide	< LOQ	25.00	ppm		06/12/26 11:18	06/12/26 14:39	
Ethyl ether	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Heptane	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Isopropyl acetate	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Methanol	< LOQ	1500	ppm		06/12/26 11:18	06/12/26 14:39	
Propane	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
2-Propanol (IPA)	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Tetrahydrofuran	< LOQ	360.0	ppm		06/12/26 11:18	06/12/26 14:39	
Toluene	< LOQ	445.0	ppm		06/12/26 11:18	06/12/26 14:39	
Butanes	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Hexanes	< LOQ	145.0	ppm		06/12/26 11:18	06/12/26 14:39	
Pentanes	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 14:39	
Xylenes	< LOQ	1085	ppm		06/12/26 11:18	06/12/26 14:39	

Blank(B26F116-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Acetonitrile	< LOQ	205.0	ppm		06/12/26 11:18	06/12/26 15:07	
Benzene	< LOQ	1.000	ppm		06/12/26 11:18	06/12/26 15:07	
2-Butanol	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Cumene	< LOQ	35.00	ppm		06/12/26 11:18	06/12/26 15:07	
Cyclohexane	< LOQ	1940	ppm		06/12/26 11:18	06/12/26 15:07	
Dichloromethane	< LOQ	300.0	ppm		06/12/26 11:18	06/12/26 15:07	
1,4-Dioxane	< LOQ	190.0	ppm		06/12/26 11:18	06/12/26 15:07	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control

Solvent Analysis (Continued)

Batch: B26F116 - ResSolv (Continued)

Blank(B26F116-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
2-Ethoxyethanol	< LOQ	80.00	ppm		06/12/26 11:18	06/12/26 15:07	
Ethyl acetate	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Ethylene glycol	< LOQ	310.0	ppm		06/12/26 11:18	06/12/26 15:07	
Ethylene oxide	< LOQ	25.00	ppm		06/12/26 11:18	06/12/26 15:07	
Ethyl ether	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Heptane	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Isopropyl acetate	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Methanol	< LOQ	1500	ppm		06/12/26 11:18	06/12/26 15:07	
Propane	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
2-Propanol (IPA)	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Tetrahydrofuran	< LOQ	360.0	ppm		06/12/26 11:18	06/12/26 15:07	
Toluene	< LOQ	445.0	ppm		06/12/26 11:18	06/12/26 15:07	
Butanes	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Hexanes	< LOQ	145.0	ppm		06/12/26 11:18	06/12/26 15:07	
Pentanes	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:07	
Xylenes	< LOQ	1085	ppm		06/12/26 11:18	06/12/26 15:07	

Blank(B26F116-BLK3)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Acetonitrile	< LOQ	205.0	ppm		06/12/26 11:18	06/12/26 15:35	
Benzene	< LOQ	1.000	ppm		06/12/26 11:18	06/12/26 15:35	
2-Butanol	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Cumene	< LOQ	35.00	ppm		06/12/26 11:18	06/12/26 15:35	
Cyclohexane	< LOQ	1940	ppm		06/12/26 11:18	06/12/26 15:35	
Dichloromethane	< LOQ	300.0	ppm		06/12/26 11:18	06/12/26 15:35	
1,4-Dioxane	< LOQ	190.0	ppm		06/12/26 11:18	06/12/26 15:35	
2-Ethoxyethanol	< LOQ	80.00	ppm		06/12/26 11:18	06/12/26 15:35	
Ethyl acetate	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Ethylene glycol	< LOQ	310.0	ppm		06/12/26 11:18	06/12/26 15:35	
Ethylene oxide	< LOQ	25.00	ppm		06/12/26 11:18	06/12/26 15:35	
Ethyl ether	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Heptane	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Isopropyl acetate	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Methanol	< LOQ	1500	ppm		06/12/26 11:18	06/12/26 15:35	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control

Solvent Analysis (Continued)

Batch: B26F116 - ResSolv (Continued)

Blank(B26F116-BLK3)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Propane	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
2-Propanol (IPA)	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Tetrahydrofuran	< LOQ	360.0	ppm		06/12/26 11:18	06/12/26 15:35	
Toluene	< LOQ	445.0	ppm		06/12/26 11:18	06/12/26 15:35	
Butanes	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Hexanes	< LOQ	145.0	ppm		06/12/26 11:18	06/12/26 15:35	
Pentanes	< LOQ	2500	ppm		06/12/26 11:18	06/12/26 15:35	
Xylenes	< LOQ	1085	ppm		06/12/26 11:18	06/12/26 15:35	

LCS(B26F116-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	81.9	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Acetonitrile	83.1	205.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Benzene	95.4	1.000	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
n-Butane	72.6	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
2-Butanol	95.0	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Cumene	98.8	35.00	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Cyclohexane	84.1	1940	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Dichloromethane	82.4	300.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
2,2-Dimethylbutane	84.5	145.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
2,3-Dimethylbutane 2-Methy	84.2	145.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
1,4-Dioxane	95.6	190.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
2-Ethoxyethanol	86.1	80.00	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Ethyl acetate	82.0	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Ethyl benzene	99.6	1085	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Ethylene glycol	88.0	310.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Ethylene oxide	76.8	25.00	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Ethyl ether	75.8	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Heptane	74.4	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
n-Hexane	75.0	145.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
iso-Butane	77.8	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Isopropyl acetate	95.3	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
iso-Pentane	79.6	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Methanol	87.8	1500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
3-Methylpentane	82.0	145.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

Social Formula - Guava Basil

The Creative Department LLC

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2606131-01

Quality Control

Solvent Analysis (Continued)

Batch: B26F116 - ResSolv (Continued)

LCS(B26F116-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
neo-Pentane	80.0	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
n-Pentane	75.0	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Propane	72.2	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
2-Propanol (IPA)	85.5	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Tetrahydrofuran	88.4	360.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Toluene	98.8	445.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
m,p Xylene	100	1085	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
o-Xylene	98.1	1085	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Butanes	75.2	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Hexanes	82.0	145.0	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Pentanes	78.2	2500	ppm	60-120	06/12/26 11:18	06/12/26 14:11	
Xylenes	99.5	1085	ppm	60-120	06/12/26 11:18	06/12/26 14:11	

Notes and Definitions

- B Analyte detected in method blank, but not associated samples.
 B2 Analyte detected in sample and associated method blank.
 C Interference due to co-elution.
 D Initial result exceeded calibration range, reported data are based on analysis of a dilution.
 H Non-homogenous sample matrix affecting RPD and/or QC.
 I Manual Integration was performed.
 L Duplicate sample relative percent difference (RPD) exceeds QC limits.
 LCS 3 marginal exceedances allowed for pesticide LCS (51-71 analytes) & 2 marginal exceedances allowed for solvents LCS (31-50 analytes)
 M Anomalous results due to matrix interference.
 Q1 QC out of limits but acceptable based on remaining QC.
 Q2 Quality Control outside QC limits. Data considered estimate.
 Q3 CCV/LCS was above the acceptance criteria. Non-detect samples are considered acceptable.
 Q4 CCV/LCS was below the acceptance criteria, however the sample still exceeds the regulatory limit.
 R Marginal Exceedance.
 U Reported result is an estimate. The analyte was detected above the calibration range.
 X Problems with initial analysis, reported data are from reinjection of prepared sample.
 <LOQ - Results below the Limit of Quantitation - Compound not detected

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.