

Certificate of Analysis

Produced: Jul 09, 2026

Sample: Ferris Wheel - Gummies - Watermelon - 10ct (Edible Solid) • Client: TRE House • Batch: Pass



Batch No.: WMST472
Matrix: Edible Solid
Sample ID: ICC-260707-14-005
Collected on: Jul 07, 2026
Received on: Jul 07, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Solvents	Pass
Metals	Pass
Microbial	Pass
Mycotoxins	Pass
Pesticides	Pass

infiniteCAL

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Kratom Residual Solvents • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.0657/0.197	Pass	Hexane	290	ND	3.29/9.88	Pass
Acetone	5000	ND	24.2/72.7	Pass	Isopropyl alcohol	5000	ND	28.0/83.9	Pass
Acetonitrile	410	ND	4.07/12.2	Pass	Methanol	3000	ND	22.8/68.4	Pass
Benzene	1	ND	0.0194/0.0581	Pass	Methylene chloride	1	ND	5.14/15.4	Pass
Butane	5000	ND	25.1/75.4	Pass	Pentane	5000	ND	23.5/70.5	Pass
Chloroform	1	ND	0.668/2.00	Pass	Propane	5000	ND	18.2/54.7	Pass
Ethanol	5000	ND	20.9/62.7	Pass	Toluene	890	ND	9.79/29.4	Pass
Ethyl acetate	5000	ND	25.6/76.7	Pass	Trichloroethylene	1	ND	0.612/1.83	Pass
Ethylene oxide	1	ND	1.21/3.64	Pass	o-Xylene	ND	ND	12.3/36.8	N/A
Ethyl ether	5000	ND	29.9/89.7	Pass	p- and m-Xylene	ND	ND	12.6/37.9	N/A
Heptane	5000	ND	27.6/82.9	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass



Signature

Signature

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable)
• Jul 09, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.06/3.18	N/A	Aflatoxin G2		ND	0.720/2.46	N/A
Aflatoxin B2		ND	0.920/2.76	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.33/6.98	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



Signature

Signature